

Systems for wellness – bench seats **LUX ELEMENTS®-CONCEPT-BA ...**




- **Various standard designs**
with and without backrest, freely combinable
- **Optional extensions**
e.g. corner solutions, end modules, armrests
- **Individual shapes**
as 'PLUS' custom-made
- **On request: technical solutions**
LED lighting, different heating systems



Bench seats


Comfortable seats are indispensable in wellness rooms. LUX ELEMENTS will supply you with seats and benches to match every room or area, even if it is full of nooks and crannies or round.

There is a choice of **different standard seat shapes** with optional rounding and end modules as well as armrests. Alternatively, **individually planned seats and benches** can also be manufactured. All the products can be fitted with lighting and/or heating systems on request.




Bench seats without backrest


CONCEPT-BA S




S1 + S2 – Design variant: **straight**
without milling for light rope ADD-LI L



S3 + S4 – Design variant: **rounded**
without milling for light rope ADD-LI L



S5 + S6 – Design variant: **straight**
with milling for light rope ADD-LI L




S7 + S8 – Design variant: **rounded**
with milling for light rope ADD-LI L


- 4 design variants –
straight and rounded, with and without milling
for light rope ADD-LI L
→ **Page 16**
- Seat with slight slope
- Made of solid material
- Integrated assembly channel
- Freely combinable with all CONCEPT-BA L backrests
→ **Page 6**
- Optional extensions –
e.g. corner solution as mitre or rounding,
seat end as rounded element,
closed seat end or armrest
→ **Page 8**
- Factory-installed seat heating (optional) –
- 2 alternative systems
- Thermostatic controllers, different versions
→ **Page 19**
- Article overview (table)
→ **Page 10**

Design variants
CONCEPT-BA S


CONCEPT-BA S1




CONCEPT-BA S2




CONCEPT-BA S3




CONCEPT-BA S4




CONCEPT-BA S5




CONCEPT-BA S6



CONCEPT-BA S7



CONCEPT-BA S8




Bench seats with backrest


CONCEPT-BA S + CONCEPT-BA L

■ The principle

1. All CONCEPT-BA S – „bench seats without backrest” – ...




2. ... are **freely combinable** with all the CONCEPT-BA L – backrests – ...



and will be transformed into a „Bench seat with backrest”.

3. The newly defined end product is then manufactured in the factory and delivered as **a single component**, made entirely **of solid material**.

1. Bench seat without backrest
(solid material)




e.g. CONCEPT-BA S1

2. Backrest
(solid material)






e.g. CONCEPT-BA L1

3. Bench seat with backrest
(solid material)





NEW: CONCEPT-BA S1L1



- 5 design variants – straight and rounded
- **Freely combinable** with all bench seats without backrest – CONCEPT-BA S –
→ Page 4
- Final product made of **solid material**
- Optional **extensions** – e.g. corner solution as mitre or rounding, seat end as rounded element, closed seat end or armrest
→ Page 8
- Factory-installed **seat heating** (optional) –
- 2 alternative systems
- Thermostatic controllers, different versions
→ Page 19
- Article overview (table)
→ Page 10



Design variants
CONCEPT-BA L

CONCEPT-BA L1





e.g. with CONCEPT-BA S6*

CONCEPT-BA L2





e.g. with CONCEPT-BA S2*

CONCEPT-BA L3





e.g. with CONCEPT-BA S3*

CONCEPT-BA L4



e.g. with CONCEPT-BA S7*

CONCEPT-BA L5



*** PLEASE NOTE:** The bench seat variant and backrest can be freely combined.
The combinations shown are only examples.

e.g. with CONCEPT-BA S4*


Extensions for bench seats

CONCEPT-BA ...

- Freely combinable with all bench seats without backrest – CONCEPT-BA S
→ Page 4
- Freely combinable with all bench seats with backrest – CONCEPT-BA S + CONCEPT-
→ Page 6
- Final product made of solid material
- Article overview (table)
→ Page 10



Bench end armrest –
CONCEPT-BA ... **AL**

Bank end closed –
CONCEPT-BA ... **BG**





Bank end round, bench – CONCEPT-BA ... **BR-S**

Bank end round, bench + backrest – CONCEPT-BA ... **BR-SL**





Bench end round, bench – CONCEPT-BA ... **AR-S**

Bench end round, bench + backrest – CONCEPT-BA ... **AR-SL**



Corner round, bench – CONCEPT-BA ... **ER-S**

Corner round, bench + backrest – CONCEPT-BA ... **ER-SL**




■ **PLEASE NOTE:** The bench seat variant and backrest can be freely combined. The combinations shown are only examples.


Extensions for bench seats

CONCEPT-BA ...


Concave trim – CONCEPT-BA ... **HK**




Corner platform – CONCEPT-BA ... **EP**




Extended round, bench + backrest – CONCEPT-BA ... **VR**




Extended round, bench + backrest – CONCEPT-BA ... **VG**




Bench end straight, bench – CONCEPT-BA ... **AG-S**




Bench end straight, bench + backrest – CONCEPT-BA ... **AG-SL**



Corner straight, bench – CONCEPT-BA ... **EG-S**



Corner straight, bench + backrest – CONCEPT-BA ... **EG-SL**



■ **PLEASE NOTE:** The bench seat variant and backrest can be freely combined. The combinations shown are only examples.

Bench seats without backrest

CONCEPT-BA S

■ Product specifications

ARTICLE NUMBER	ARTICLE NAME / ARTICLE DESCRIPTION Product details → Page 4	UNIT
LCONBA2000	CONCEPT-BA S1 – Bench form S1, straight	m
LCONBA2006	CONCEPT-BA S2 – Bench form S2, straight	m
LCONBA2012	CONCEPT-BA S3 – Bench form S3, straight	m
LCONBA2018	CONCEPT-BA S4 – Bench form S4, straight	m
LCONBA2024	CONCEPT-BA S5 – Bench form S5, straight	m
LCONBA2030	CONCEPT-BA S6 – Bench form S6, straight	m
LCONBA2036	CONCEPT-BA S7 – Bench form S7, straight	m
LCONBA2042	CONCEPT-BA S8 – Bench form S8, straight	m

Extensions for bench seats

CONCEPT-BA ...

■ Product specifications

ARTICLE NUMBER	ARTICLE NAME / ARTICLE DESCRIPTION Product details → Page 8	UNIT
LCONBA2100	CONCEPT-BA HK – Concave trim	Stück
LCONBA2101	CONCEPT-BA BG – Bank end closed	Stück
LCONBA2102	CONCEPT-BA EP – Corner platform	Stück
LCONBA2103	CONCEPT-BA AL – Bench end armrest	Stück
LCONBA2104	CONCEPT-BA VG – Extended straight, bench + backrest	Stück
LCONBA2105	CONCEPT-BA VR – Extended round, bench + backrest	Stück
LCONBA2106	CONCEPT-BA BR-S – Bench end round, bench	Stück
LCONBA2107	CONCEPT-BA BR-SL – Bench end round, bench + backrest	Stück
LCONBA2108	CONCEPT-BA EG-S – Corner straight, bench	Stück
LCONBA2109	CONCEPT-BA EG-SL – Corner straight, bench + backrest	Stück
LCONBA2110	CONCEPT-BA ER-S – Corner round, bench	Stück
LCONBA2111	CONCEPT-BA ER-SL – Corner round, bench + backrest	Stück
LCONBA2112	CONCEPT-BA AG-S – Bench end straight, bench	Stück
LCONBA2113	CONCEPT-BA AG-SL – Bench end straight, bench + backrest	Stück
LCONBA2114	CONCEPT-BA AR-S – Bench end round, bench	Stück
LCONBA2115	CONCEPT-BA AR-SL – Bench end round, bench + backrest	Stück



→ www.luxelements.com

further information, data sheets, assembly instructions, test certificates and additional brochures under 'Downloads'

■ **PLEASE NOTE:** additional accessories like light ropes (ADD-LI L) or heating (ADD-EH/-WH) → please refer to the next pages

Bench seats with backrest

CONCEPT-BA S + CONCEPT-BA L

■ Product specifications

ARTICLE NUMBER	ARTICLE NAME / ARTICLE DESCRIPTION Product details → Page 6	UNIT
LCONBA2001	CONCEPT-BA S1L1 – Bench form S1L1 (combination of bench form S1 + backrest form L1), straight	m
LCONBA2002	CONCEPT-BA S1L2 – Bench form S1L2 (combination of bench form S1 + backrest form L2), straight	m
LCONBA2003	CONCEPT-BA S1L3 – Bench form S1L3 (combination of bench form S1 + backrest form L3), straight	m
LCONBA2004	CONCEPT-BA S1L4 – Bench form S1L4 (combination of bench form S1 + backrest form L4), straight	m
LCONBA2005	CONCEPT-BA S1L5 – Bench form S1L5 (combination of bench form S1 + backrest form L5), straight	m
LCONBA2007	CONCEPT-BA S2L1 – Bench form S2L1 (combination of bench form S2 + backrest form L1), straight	m
LCONBA2008	CONCEPT-BA S2L2 – Bench form S2L2 (combination of bench form S2 + backrest form L2), straight	m
LCONBA2009	CONCEPT-BA S2L3 – Bench form S2L3 (combination of bench form S2 + backrest form L3), straight	m
LCONBA2010	CONCEPT-BA S2L4 – Bench form S2L4 (combination of bench form S2 + backrest form L4), straight	m
LCONBA2011	CONCEPT-BA S2L5 – Bench form S2L5 (combination of bench form S2 + backrest form L5), straight	m
LCONBA2013	CONCEPT-BA S3L1 – Bench form S3L1 (combination of bench form S3 + backrest form L1), straight	m
LCONBA2014	CONCEPT-BA S3L2 – Bench form S3L2 (combination of bench form S3 + backrest form L2), straight	m
LCONBA2015	CONCEPT-BA S3L3 – Bench form S3L3 (combination of bench form S3 + backrest form L3), straight	m
LCONBA2016	CONCEPT-BA S3L4 – Bench form S3L4 (combination of bench form S3 + backrest form L4), straight	m
LCONBA2017	CONCEPT-BA S3L5 – Bench form S3L5 (combination of bench form S3 + backrest form L5), straight	m
LCONBA2019	CONCEPT-BA S4L1 – Bench form S4L1 (combination of bench form S4 + backrest form L1), straight	m
LCONBA2020	CONCEPT-BA S4L2 – Bench form S4L2 (combination of bench form S4 + backrest form L2), straight	m
LCONBA2021	CONCEPT-BA S4L3 – Bench form S4L3 (combination of bench form S4 + backrest form L3), straight	m
LCONBA2022	CONCEPT-BA S4L4 – Bench form S4L4 (combination of bench form S4 + backrest form L4), straight	m
LCONBA2023	CONCEPT-BA S4L5 – Bench form S4L5 (combination of bench form S4 + backrest form L5), straight	m
LCONBA2025	CONCEPT-BA S5L1 – Bench form S5L1 (combination of bench form S5 + backrest form L1), straight	m
LCONBA2026	CONCEPT-BA S5L2 – Bench form S5L2 (combination of bench form S5 + backrest form L2), straight	m
LCONBA2027	CONCEPT-BA S5L3 – Bench form S5L3 (combination of bench form S5 + backrest form L3), straight	m
LCONBA2028	CONCEPT-BA S5L4 – Bench form S5L4 (combination of bench form S5 + backrest form L4), straight	m
LCONBA2029	CONCEPT-BA S5L5 – Bench form S5L5 (combination of bench form S5 + backrest form L5), straight	m
LCONBA2031	CONCEPT-BA S6L1 – Bench form S6L1 (combination of bench form S6 + backrest form L1), straight	m
LCONBA2032	CONCEPT-BA S6L2 – Bench form S6L2 (combination of bench form S6 + backrest form L2), straight	m
LCONBA2033	CONCEPT-BA S6L3 – Bench form S6L3 (combination of bench form S6 + backrest form L3), straight	m
LCONBA2034	CONCEPT-BA S6L4 – Bench form S6L4 (combination of bench form S6 + backrest form L4), straight	m
LCONBA2035	CONCEPT-BA S6L5 – Bench form S6L5 (combination of bench form S6 + backrest form L5), straight	m
LCONBA2037	CONCEPT-BA S7L1 – Bench form S7L1 (combination of bench form S7 + backrest form L1), straight	m
LCONBA2038	CONCEPT-BA S7L2 – Bench form S7L2 (combination of bench form S7 + backrest form L2), straight	m
LCONBA2039	CONCEPT-BA S7L3 – Bench form S7L3 (combination of bench form S7 + backrest form L3), straight	m
LCONBA2040	CONCEPT-BA S7L4 – Bench form S7L4 (combination of bench form S7 + backrest form L4), straight	m
LCONBA2041	CONCEPT-BA S7L5 – Bench form S7L5 (combination of bench form S7 + backrest form L5), straight	m
LCONBA2043	CONCEPT-BA S8L1 – Bench form S8L1 (combination of bench form S8 + backrest form L1), straight	m
LCONBA2044	CONCEPT-BA S8L2 – Bench form S8L2 (combination of bench form S8 + backrest form L2), straight	m
LCONBA2045	CONCEPT-BA S8L3 – Bench form S8L3 (combination of bench form S8 + backrest form L3), straight	m
LCONBA2046	CONCEPT-BA S8L4 – Bench form S8L4 (combination of bench form S8 + backrest form L4), straight	m
LCONBA2047	CONCEPT-BA S8L5 – Bench form S8L5 (combination of bench form S8 + backrest form L5), straight	m

Special shapes










CONCEPT-BA ... PLUS









- Alternatively we can also realise your individual planning as a customised product.





GOOD TO KNOW ...

LUX ELEMENTS manufactures individual customised products for CONCEPT-BA. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme.





Technical solutions



Design and technology must be perfectly matched to each other in spas and wellness facilities.

Hard foam support elements from LUX ELEMENTS are ideally suited to the integration of technical components. The necessary millings and sections etc. can be prepared at the factory or produced on site according to exact measurements.

Technical accessories for CONCEPT-BA:

■ **Light**

Flexible light rope

■ **Heating**

- Electrical heating mat, factory-fitted
- Water heating, factory-fitted
or milling for the on-site installation of water heating




For further information, please see
www.luxelements.com

LED light rope

ADD-LI L



- Flexible light rope
- Light colour „warm white“ (WW) or „colored“ (RGB)
- Bendable in horizontal direction
- 24 V, protection class IP67, 5 m supply cable
- Length to measure, factory-made
- Suitable controller – ADD-LI S
- Suitable remote controls – ADD-LI F
- Suitable power supply units – ADD-LI L-N



Dimensions in mm

Controller

ADD-LI S



LEADD3026

Remote controls

ADD-LI L-F



LEADD3027



LEADD3028

Controller – for ADD-LI L

- Suitable for WW and RGB
- Protection class IP20

Remote controls – in addition to ADD-LI S

- To adjust the brightness (WW)
- To select color and program (RGB)
- Including wall mount

Power supply units

ADD-LI L-N



LEADD3005



LEADD3024



LEADD3025

- Suitable for ADD-LI L
- 3 models – 30W, 100W and 250W

Details → see back page

■ **PLEASE NOTE:** additional accessories such as extended supply cables (e.g. 5 m to 10 m) → on request

LED light rope

ADD-LI L

■ Product specification

ARTICLE NUMBER	ARTICLE NAME / ARTICLE DESCRIPTION	UNIT
	Light rope, warm white (WW) – 3000 K, dimmable, flexible, cross-section 8 x 12 mm, power 12 W/m, protection class IP67, 24 V, 5 m supply cable	
LEADD3000	ADD-LI L-WW 100-1000 – light rope 100 – 1000 mm	piece
LEADD3001	ADD-LI L-WW 1050*-2000 – light rope 1050 – 2000 mm	piece
LEADD3002	ADD-LI L-WW 2050*-3000 – light rope 2050 – 3000 mm	piece
LEADD3003	ADD-LI L-WW 3050*-4000 – light rope 3050 – 4000 mm	piece
LEADD3004	ADD-LI L-WW 4050*-5000 – light rope 4050 – 5000 mm	piece
	Light rope, colored (RGB) – dimmable, flexible, cross-section 8 x 12 mm, power 15 W/m, protection class IP67, 24 V, 5 m supply cable	
LEADD3013	ADD-LI L-RGB 100-1000 – light rope 100 – 1.000 mm	piece
LEADD3014	ADD-LI L-RGB 1050*-2000 – light rope 1050 – 2000 mm	piece
LEADD3015	ADD-LI L-RGB 2050*-3000 – light rope 2050 – 3000 mm	piece
LEADD3016	ADD-LI L-RGB 3050*-4000 – light rope 3050 – 4000 mm	piece
LEADD3017	ADD-LI L-RGB 4050*-5000 – light rope 4050 – 5000 mm	piece
LEADD3018	ADD-LI L-RGB 5050*-6000 – light rope 5050 – 6000 mm	piece
LEADD3019	ADD-LI L-RGB 6050*-7000 – light rope 6050 – 7000 mm	piece
LEADD3020	ADD-LI L-RGB 7050*-8000 – light rope 7050 – 8000 mm	piece

* PLEASE NOTE: for custom-made products, shortening the light rope is only possible in intervals of 50 mm for technical reasons.

Controller and remote controls

ADD-LI S, ADD-LI L-F

■ Product specification

ARTICLE NUMBER	ARTICLE NAME / ARTICLE DESCRIPTION	DIMENSIONS Length x width x height	UNIT
LEADD3026	ADD-LI S – controller for light ropes ADD-LI L-WW and ADD-LI L-RGB, protection class IP20	52 x 52 x 26 mm	piece
LEADD3027	ADD-LI L-F WW – radio remote control WW, including wall mount (magnetic), in addition to ADD-LI S	139 x 36 x 11 mm	piece
LEADD3028	ADD-LI L-F RGB – radio remote control RGB, including wall mount, in addition to ADD-LI S	122 x 53 x 18 mm	piece

Power supply units

ADD-LI L-N

■ Product specification

ARTICLE NUMBER	ARTICLE NAME / ARTICLE DESCRIPTION	DIMENSIONS Length x width x height	UNIT
LEADD3005	ADD-LI L-N30 – power supply unit 30 Watt, up to a length of 2500 mm (WW) or 2000 mm (RGB)	91 x 41 x 19 mm	piece
LEADD3024	ADD-LI L-N100 – power supply unit 100 Watt, up to a length of 8250 mm (WW) or 6750 mm (RGB)	184 x 61 x 32 mm	piece
LEADD3025	ADD-LI L-N250 – power supply unit 250 Watt, up to a length of 20750 mm (WW) or 16500 mm RGB)	400 x 40 x 22 mm	piece



→ www.luxelements.com

Further information on „ADD-LI L“. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads'

■ The principle ADD-LI L – schematic overview

LED-Light rope –

■ ADD-LI L-WW ...



Total length*:



< 2500 mm = power supply unit 30 W – LEADD3005

controller – LEADD3026
and remote control – LEADD3027

to adjust the brightness

< 8250 mm = power supply unit 100 W – LEADD3024

controller – LEADD3026
and remote control – LEADD3027

to adjust the brightness


< 20750 mm = power supply unit 250 W – LEADD3025

controller – LEADD3026
and remote control – LEADD3027

to adjust the brightness

LED-Light rope –

■ ADD-LI L-RGB ...



Total length*:



< 2000 mm = power supply unit 30 W – LEADD3005

controller – LEADD3026
and remote control – LEADD3028

to select color and program

< 6750 mm = power supply unit 100 W – LEADD3024

controller – LEADD3026
and remote control – LEADD3028

to select color and program

< 16500 mm = power supply unit 250 W – LEADD3025


controller – LEADD3026
and remote control – LEADD3028

to select color and program

* PLEASE NOTE: total lengths exceeding the maximum specified here are also technically possible. If necessary, the number of controllers and power supplies must be adjusted.

Electrical heating mat

ADD-EH



LEADD2000

Optional for all CONCEPT-BA

- 280 W/m², 230 V
- Factory-fitted
- Individually made to measure
- Incl. temperature sensor
- Separate thermostatic controllers
 - ADD-EH Z – different versions, with and without timer



Thermostatic controllers

ADD-EH Z

■ ADD-EH ZA



LEADD2000

■ ADD-EH ZB



LEADD2002

■ ADD-EH ZD



LEADD2003

■ ADD-EH ZC



LEADD2004

Suitable for electrical heating set ADD-EH

- ADD-EH ZA – without timer
12 A, 230 V AC
- ADD-EH ZB – with timer
12 A, 230 V AC
- ADD-EH ZD – with timer
16 A, 230 V AC, LCD display
- ADD-EH ZC – for mounting in
distribution cabinet set (6 A, 230 V AC,
can be snapped onto 35 mm DIN rail),
with illuminated digital display (space
requirement 2HP)

Water heating

ADD-WH



LEADD2100

Milling for water heating

ADD-WH F



LEADD2101

Optional for all CONCEPT-BA

Water heating – ADD-WH

- Factory-fitted
- Made to measure
- Built-in single-circuit heating system
cable approx. 9.9 x 1.1 mm
- With transfer points
and leak-tightness check

Milling for water heating – ADD-WH F

- Für den bauseitigen Einbau
von Wasserheizungen
- Individually made to measure



LUX ELEMENTS®-CONCEPT-BA



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich. * [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same. * [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes. * [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.


☒ Zutreffendes ankreuzen - Check the relevant box - Veuillez cocher la case correspondante - Vink het relevante vakje aan

■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning




■ mit Hohlkehle | with concave trim | avec cornière | met hollatten

HK ☐




■ mit Abschluss Armlehne | with bench end arm rest | avec accoudoir | met afsluiting armleuning

AL ☐



[DE] – Anzahl
[EN] – Quantity
[FR] – Quantité
[NL] – Aantal

[DE] ■ für Bankform „U“
hier die Abmessungen (in mm) eintragen
[EN] ■ for bench form „U“
enter the dimensions (in mm) here
[FR] ■ pour banquette de forme „U“
entrez les dimensions (en mm) ici
[NL] ■ voor bankvorm „U“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.
[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.
[FR] – REMARQUE: Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.
[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.


a

[DE] ■ für Innenecken
[EN] ■ for inner corners
[FR] ■ pour angles intérieurs
[NL] ■ voor binnenhoeken




Gerade | Straight | Droite | Recht

ER-S ☐



Rund | Round | Arrondie | Rond

EP ☐




Podest | Platform | Plateforme | Sokkel

b/c


[DE] ■ für Bankabschlüsse oder Außenecken
[EN] ■ for bench ends or outer corners
[FR] ■ pour fin de banquettes ou angles extérieurs
[NL] ■ voor bankafsluitingen of buitenhoeken

BG ☐ b ☐ c




Geschlossen | Closed | Fermée | Gesloten

AG-S ☐ b ☐ c




Gerade | Straight | Droite | Recht

BR ☐ b ☐ c



Rund | Round | Arrondie | Rond

AR-S ☐ b ☐ c



Rund | Round | Arrondie | Rond

■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date Unterschrift | Signature | Handtekening



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich.

* [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same.

* [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes.

* [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.




Zutreffendes ankreuzen - Check the relevant box - Veuillez cocher la case correspondante - Vink het relevante vakje aan


■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning



■ mit Hohlkehle | with concave trim | avec cornière | met hollatten



■ mit Abschluss Armlehne | with bench end arm rest | avec accoudoir | met afsluiting armleuning



[DE] – Anzahl
[EN] – Quantity
[FR] – Quantité
[NL] – Aantal

[DE] ■ für Bank „G“
hier die Abmessungen (in mm) eintragen

[EN] ■ for bench „G“
enter the dimensions (in mm) here

[FR] ■ pour banquette « G »
entrez les dimensions (en mm) ici

[NL] ■ voor bank „G“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.

[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.

[FR] – REMARQUE : Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.

[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.


b/c

[DE] ■ für Bankabschlüsse oder Außenecken


[EN] ■ for bench ends or outer corners

[FR] ■ pour fin de banquettes ou angles extérieurs


[NL] ■ voor bankafsluitingen of buitenhoeken




Geschlossen | Closed | Fermée | Gesloten



Gerade | Straight | Droite | Recht



Rund | Round | Arrondie | Rond



Rund | Round | Arrondie | Rond

■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date

Unterschrift | Signature | Handtekening



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich.

* [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same.


* [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes.

* [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.




Zutreffendes ankreuzen · Check the relevant box · Veuillez cocher la case correspondante · Vink het relevante vakje aan

■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning





■ mit Hohlkehle | with concave trim | avec cornière | met hollatten

HK




■ mit Abschluss Armlehne | with bench end arm rest | avec accoudoir | met afsluiting armleuning

AL



[DE] – Anzahl
[EN] – Quantity
[FR] – Quantité
[NL] – Aantal

- [DE] ■ für Bankform „L“
hier die Abmessungen (in mm) eintragen
- [EN] ■ for bench form „L“
enter the dimensions (in mm) here
- [FR] ■ pour banquette de forme « L »
entrez les dimensions (en mm) ici
- [NL] ■ voor bankvorm „L“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.

[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.


[FR] – REMARQUE : Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.

[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.

a


- [DE] ■ für Innenecken
- [EN] ■ for inner corners
- [FR] ■ pour angles intérieurs
- [NL] ■ voor binnenhoeken

EG-S




Gerade | Straight | Droite | Recht

ER-S



Rund | Round | Arrondie | Rond

EP




Podest | Platform | Plateforme | Sokkel

b/c


- [DE] ■ für Bankabschlüsse oder Außenecken
- [EN] ■ for bench ends or outer corners
- [FR] ■ pour fin de banquettes ou angles extérieurs
- [NL] ■ voor bankafsluitingen of buitenhoeken

BG




Geschlossen | Closed | Fermée | Gesloten

AG-S




Gerade | Straight | Droite | Recht

BR



Rund | Round | Arrondie | Rond

AR-S



Rund | Round | Arrondie | Rond

■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date

Unterschrift | Signature | Handtekening



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich.

* [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same.

* [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes.

* [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.




Zutreffendes ankreuzen · Check the relevant box · Veuillez cocher la case correspondante · Vink het relevante vakje aan

■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning




■ mit Hohlkehle | with concave trim | avec cornière | met hollatten

HK




■ mit Abschluss Armlehne | with bench end arm rest | avec accoudoir | met afsluiting armleuning

AL



[DE] – Anzahl
[EN] – Quantity
[FR] – Quantité
[NL] – Aantal

- [DE] ■ für Bankform „U“
hier die Abmessungen (in mm) eintragen
- [EN] ■ for bench form „U“
enter the dimensions (in mm) here
- [FR] ■ pour banquette de forme « U »
entrez les dimensions (en mm) ici
- [NL] ■ voor bankvorm „U“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.

[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.


[FR] – REMARQUE : Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.

[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.

a


- [DE] ■ für Innenecken
- [EN] ■ for inner corners
- [FR] ■ pour angles intérieurs
- [NL] ■ voor binnenhoeken

EG-S




Gerade | Straight | Droite | Recht

ER-S



Rund | Round | Arrondie | Rond

EP




Podest | Platform | Plateforme | Sokkel

b/c


- [DE] ■ für Bankabschlüsse oder Außenecken
- [EN] ■ for bench ends or outer corners
- [FR] ■ pour fin de banquettes ou angles extérieurs
- [NL] ■ voor bankafsluitingen of buitenhoeken

BG




Geschlossen | Closed | Fermée | Gesloten

AG-S




Gerade | Straight | Droite | Recht

BR



Rund | Round | Arrondie | Rond

AR-S



Rund | Round | Arrondie | Rond

■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date

Unterschrift | Signature | Handtekening



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich.

* [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same.


* [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes.

* [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.



Zutreffendes ankreuzen · Check the relevant box · Veuillez cocher la case correspondante · Vink het relevante vakje aan


■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning



■ Rückenlehnen | Backrests | Dossiers | Rugleuningen



■ Abschluss Armlehne | Bench end arm rest | Accoudoir | Afsluiting armleuning



[DE] ■ für Bank „G“
hier die Abmessungen (in mm) eintragen

[EN] ■ for bench „G“
enter the dimensions (in mm) here

[FR] ■ pour banquette « G »
entrez les dimensions (en mm) ici

[NL] ■ voor bank „G“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.

[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.

[FR] – REMARQUE : Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.

[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.


b/c

[DE] ■ für Bankabschlüsse oder Außenecken

[EN] ■ for bench ends or outer corners

[FR] ■ pour fin de banquettes ou angles extérieurs

[NL] ■ voor bankafsluitingen of buitenhoeken



AG-SL



VG



BR



AR-SL



VR



■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date

Unterschrift | Signature | Handtekening



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich.

* [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same.


* [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes.

* [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.



Zutreffendes ankreuzen · Check the relevant box · Veuillez cocher la case correspondante · Vink het relevante vakje aan


■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning




■ Rückenlehnen | Backrests | Dossiers | Rugleuningen



■ Abschluss Armlehne | Bench end arm rest | Accoudoir | Afsluiting armleuning



- [DE] ■ für Bankform „L“
hier die Abmessungen (in mm) eintragen
- [EN] ■ for bench form „L“
enter the dimensions (in mm) here
- [FR] ■ pour banquette de forme « L »
entrez les dimensions (en mm) ici
- [NL] ■ voor bankvorm „L“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.

[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.


[FR] – REMARQUE : Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.

[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.

a


- [DE] ■ für Innenecken
- [EN] ■ for inner corners
- [FR] ■ pour angles intérieurs
- [NL] ■ voor binnenhoeken

EG-SL




Gerade | Straight | Droit | Recht

ER-SL



Rund | Round | Arrondi | Rond

EP




Podest | Platform | Plateforme | Sokkel

b/c


- [DE] ■ für Bankabschlüsse oder Außenecken
- [EN] ■ for bench ends or outer corners
- [FR] ■ pour fin de banquettes ou angles extérieurs
- [NL] ■ voor bankafsluitingen of buitenhoeken

BG




Geschlossen | Closed | Fermée | Gesloten

AG-SL




Gerade | Straight | Droite | Recht

VG




Gerade | Straight | Droite | Recht

BR




Rund | Round | Arrondie | Rond

AR-SL



Rund | Round | Arrondie | Rond

VR



Rund | Round | Arrondie | Rond

■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date

Unterschrift | Signature | Handtekening



* [DE] – Höhe (450 mm) und Breite (480 mm) von S1 – S8 sind gleich.

* [EN] – Height (450 mm) and width (480 mm) of S1 – S8 are the same.


* [FR] – Hauteur (450 mm) et largeur (480 mm) de S1 – S8 sont les mêmes.

* [NL] – Hoogte (450 mm) en breedte (480 mm) van S1 – S8 zijn gelijk.



Zutreffendes ankreuzen · Check the relevant box · Veuillez cocher la case correspondante · Vink het relevante vakje aan


■ Sitzbänke ohne Rückenlehne | Bench seats without backrest | Banquettes sans dossier | Zitbanken zonder rugleuning



■ Rückenlehnen | Backrests | Dossiers | Rugleuningen




■ Abschluss Armlehne | Bench end arm rest | Accoudoir | Afsluiting armleuning



[DE] – Anzahl
[EN] – Quantity
[FR] – Quantité
[NL] – Aantal

- [DE] ■ für Bankform „U“
hier die Abmessungen (in mm) eintragen
- [EN] ■ for bench form „U“
enter the dimensions (in mm) here
- [FR] ■ pour banquette de forme « U »
entrez les dimensions (en mm) ici
- [NL] ■ voor bankvorm „U“
voer hier de afmetingen (in mm) in



[DE] – HINWEIS: Weitere Optionen, wie z.B. Licht, Heizung oder Freiformen, auf Anfrage.

[EN] – NOTE: Further options, like e.g. lighting, heating or free shapes, on request.


[FR] – REMARQUE : Autres options, par ex. éclairage, chauffage ou formes libres, sur demande.

[NL] – LET OP: Verdere opties, b.v. verlichting, verwarming of vrije vormen, op aanvraag.

a


- [DE] ■ für Innenecken
- [EN] ■ for inner corners
- [FR] ■ pour angles intérieurs
- [NL] ■ voor binnenhoeken

EG-SL



Gerade | Straight | Droite | Recht

ER-SL



Rund | Round | Arrondie | Rond

EP




Podest | Platform | Plateforme | Sokkel

b/c


- [DE] ■ für Bankabschlüsse oder Außenecken
- [EN] ■ for bench ends or outer corners
- [FR] ■ pour fin de banquettes ou angles extérieurs
- [NL] ■ voor bankafsluitingen of buitenhoeken

BG




Geschlossen | Closed | Fermée | Gesloten

AG-SL




Gerade | Straight | Droite | Recht

VG




Gerade | Straight | Droite | Recht

BR



Rund | Round | Arrondie | Rond

AR-SL



Rund | Round | Arrondie | Rond

VR



Rund | Round | Arrondie | Rond

■ KUNDE | CUSTOMER | CLIENT | KLANT

■ PROJEKT | PROJECT | PROJET | PROJECT

■ FREIGABE zur Fertigung | APPROVAL for production
ACCORD de fabrication | VRIJGAVE voor productie

Datum | Date

Unterschrift | Signature | Handtekening