PRESS RELEASE

www.luxelements.com

Lux Elements expands technical accessories

New light rope for indirect lighting

In the current 2020 product range, Lux Elements presents the new, flexible Concept-LL-F light rope, which is made of high-quality 2-component silicone and comes in the versions "warm white" and "RGB". The product can be optimally combined with the manufacturer's hard foam products and creates a pleasant, feel-good atmosphere with its discreet light.

Due to the rectangular format measuring just 11 x 16 mm, the light rope can be precisely integrated into the tile pattern and easily adapted to curves and curved shapes. For a flush fit with the tile surface, a recess can be pre-milled in the hard foam at the factory, if required.

Concept-LL-F is suitable for providing indirect lighting in rooms from -60 to +80 degrees Celsius, for example in niches or under bench seats.
Other areas of use include the bathtub cladding with Top-Tru footboard, or the floating Lavado-Float washstands from the Lux Elements product range.

The light rope with a rating of 12 volts per running metre is dust-tight and waterproof according to IP 68. The standard supply cable with AMP/round plug is 4 m in length. Necessary accessories such as power supply units, controller, remote control and cables are also supplied by Lux Elements.

Further information at www.luxelements.com

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

PRESS RELEASE

www.luxelements.com

Information:

Lux Elements GmbH & Co. KG

Barbara Steinhöfer

E-mail: b.steinhoefer@luxelements.de

Phone +49 (0) 21 71/72 12 15

PRESS RELEASE

www.luxelements.com



Leverkusen, 10.02.2020

TELECHARGEMENT:
-> CONCEPT-LL-F_Lichtschlauch_3c [1,5 MB]
-> CONCEPT-LL-F_Lichtschlauch_4c [4,4 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

PRESS RELEASE

www.luxelements.com



TELECHARGEMENT:
-> CONCEPT-BA-FLOAT-GK_600_ES_Ambiente_3C [1,1 MB]
-> CONCEPT-BA-FLOAT-GK_600_ES_L_Ambiente_4C [10,1 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

PRESS RELEASE

www.luxelements.com

Leverkusen, 10.02.2020



TELECHARGEMENT:
-> CONCEPT-LL-F_3C [153 KB]
-> CONCEPT-LL-F_4C [2,5 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

PRESS RELEASE

www.luxelements.com



Leverkusen, 10.02.2020

TELECHARGEMENT:
-> LAVADO-FLOATCONCEPT-LL-F_3C [808 KB]
-> LAVADO-FLOATCONCEPT-LL-F_4C [7,2 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

PRESS RELEASE

www.luxelements.com



Leverkusen, 10.02.2020

TELECHARGEMENT:
-> TOP-TRUCONCEPT-LL-F_3C [733 KB]
-> TOP-TRUCONCEPT-LL-F_4C [6,3 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested